

DORAI

SECURITY

RELIABILITY

Your endoscopes are dry,
protected and always ready
for use.



medical.cbc-europe.com




HIGH CAPACITY & FLEXIBILITY

Vertikale Aufbewahrungskapazität für bis zu 12 Endoskope auf kleinem Raum. Interne Schiebewände bieten einen schnellen und einfachen Zugriff auf die Endoskope. Erhältlich in zwei Versionen: mit Einzeltür oder mit Durchreiche.



COMPLETE DRYING

Gefilterte Luft durch einen HEPA-Filter H14 und zwölf unabhängige Mikrokompressoren ermöglichen die Trocknung sowohl der äußeren Oberfläche als auch jedes inneren Endoskopkanals.



EASY ACCESSIBILITY

Eine Glastür und LED-Lampen geben einen schnellen Überblick über alle verfügbaren Endoskope.



MAXIMUM SAFETY

Verschiedene Sensoren kontrollieren alle Schrankparameter und den Zustand der Endoskope und melden eventuelle Fehler.



ENDOSCOPE CONNECTION SET

Spezielle Endoskop-Anschlusssets garantieren eine perfekte Trocknung der Innenkanäle.



USER FRIENDLY INTERFACE

An intuitive touch-screen display helps to identify the endoscopes' status.



COMPLETE TRACEABILITY


Barcode scanner to easily identify operators and scopes. Reports can be saved and printed offering a safe and complete traceability.



STANDARDS COMPLIANCE

Compliant with EN 16442:2015 "Controlled environment storage cabinet for disinfected thermolabile endoscopes". All the tests have been performed by independent laboratory.





SPECIFICATIONS & TECHNICAL DATA

Weight	kg	350		
Dimensions (WxDxH)	mm	1100 / 860 / (920*) / 2100		
Noise Level	dBA	<50		
Air Feed	m ³ /h	100		
Ambient Temperature	°C	5°C - 35°C		
Relative Humidity (max.)	HR%	90		
Voltage	V	230	230	120
Frequency	Hz	50	60	60
Power Consumption (max.)	W	700	700	700
Current	A	3	3	5.8
Main Switch	A	10	10	10

Specifications, design, and accessories are subject to change without any notice or obligation by the manufacturer.

DORAI

CBC (Europe) GmbH

Fritz-Vomfelde-Str. 6 • 40547 Düsseldorf

medical.cbc-europe.com

info@cbc-europe.com

Technical changes and errors reserved. 082021 v1.0